

50/70T DZR

50 & 70 Tonne Mine Dozer

Technical Specifications Guide



AME
AUSTRALIAN MINING EQUIPMENT

PURPOSE BUILT INDUSTRY PROVEN

50/70T DZR

50 & 70 Tonne Mine Dozer

The AME Dozer can take control of heavy tasks in your mine; operate safely without exceeding design capacity. The new AME Dozers feature industry leading ergonomic design, superior draw bar pull and lift capacity.

AME
AUSTRALIAN MINING EQUIPMENT

Standard Features


1. 70/50 tonne rated forks
2. Fork locking mechanism
3. Winch system
4. Electrical System (8 flameproof headlights)
5. Fuel Tank
6. Water tank
7. Entry/Exit step
8. Diesel Engine System
9. Hydraulic control system
10. 3 Position swivel seat 180°
11. Closed loop traction circuit
12. Implement latch, cabin height & winch controls
13. Detailed system indication via dash gauges
14. Emergency stop button
15. Chair mounted Jib Controls
16. Chair mounted Fork Controls
17. LCD Camera Display



Installed **Tier 3** Diesel Engine System.

Specifications

Specifications	50 T	70 T
Overall Length	9571 mm	11082 mm
Overall Width	3254 mm	3800 mm
Overall Height	1940/2240 mm	2120/2400 mm
Ground Clearance	262 mm	368 mm
Installed Power	242 kW diesel	242 kW diesel
	200 kW Electric	200 kW Electric
Tare Weight	65 T	95 T
Draw Bar Pull	84 T	102 T
Travel speed	5.8 km/hr	5.5 km/hr
Winch capacity	25 T	35 T
Fork Implement		
Lift capacity rating	50 T @ 1 m	70 T @ 1 m
Jib Implement		
Slew capacity rating	36 T	53 T (centre)
Extension stroke	1200 mm	1200 mm



AME

230 Old Maitland Road
Hexham NSW 2322

T: +61 2 4028 0400

E: sales@amequip.com.au



 www.amequip.com.au